

05-11-06

2141/Ifw
TFW



I hereby certify that this document pertaining to Application Number 10/074,334 is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. §1.10, Express Mail Label No. ED807789029US, on the date subscribed, in an envelope addressed to MAIL STOP AMENDMENTS, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450, on the 10th day of May, 2005.

Ray R. Regan, Attorney for Applicant, Registration No. 36, 899

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Robert Aranda, Jr.
Filing Date: February 12, 2002
Sole Inventor: Robert Aranda, Jr.
For: AN INDEPENDENT AND INTEGRATED
CENTRALIZED HIGH SPEED SYSTEM
FOR DATA MANAGEMENT
Attorney Docket Number: 2215.004
Application Serial No: 10/074,334
Examiner: Chirag R. Patel
Group Art Unit: 2141

**RENEWED REQUEST AND PETITION
TO ACCEPT AMENDMENT AS TIMELY FILED
AND TO RESCIND NOTICE OF ABANDONMENT**

To: Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

Introductory Comments

The Examiner entered a Notice of Abandonment that was mailed to Applicant on May 2, 2006. The basis for the alleged abandonment is that Applicant did not file a reply to the Examiner's first non-final office action mailed to Applicant on April 21, 2005. However, Applicant did in fact

mail a reply to the office action ("Reply"). However, the Examiner called Applicant's counsel on December 23, 2005 to report that the Examiner had not yet received the reply to the office action that was mailed by the Applicant in reply to the office action.

Accordingly, Applicant prepared a first "Request to Accept Amendment as Timely Filed and to Rescind any Notice of Abandonment" ("First Request"). Applicant mailed the First Request on December 28, 2005, five days after the Examiner notified Applicant's counsel about the missing Reply. The First Request does not appear among the documents of the application file wrapper. Accordingly, the Examiner, whose professionalism in addressing this matter is appreciated by Applicant and Applicant's counsel, issued the Notice of Abandonment.

Response to Notice of Abandonment

A. Reply Filed in the Office. A Reply to Office Action was timely filed with a certificate of mailing on October 19, 2005 in conformity with 37 CFR 1.10 and MPEP §512.

As proof of the foregoing, Applicant encloses the following:

1. a true and correct copy of the "Reply to Office Action Mailed by the Examiner on April 21, 2005 and Request for Reconsideration" which includes a certificate of mailing appended to the upper right corner of the first page of the Reply (Exhibit A);

2. a true and correct copy of the Petition for Extension of Time that accompanied the Reply (Exhibit B);

3. a true and correct copy of the check enclosed with the above documents (Exhibit C). **PLEASE NOTE that highlighted information on two additional documents included at Exhibit C confirm that the check was negotiated by the Patent Office;**

4. a true and correct copy of the Express Mail label confirming the mailing date of the above documents (Exhibit D); and

5. a true and correct copy of the postcard receipt from the Office indicating receipt of the above documents (Exhibit E).

B. Request as Filed. As indicated above, on receiving the telephone call from the Examiner that the Reply had not been received and did not appear to be in electronic transit, Applicant the First Request.

As proof of the foregoing, Applicant encloses the following:

1. a true and correct copy of the First Request (Exhibit F);

2. a true and correct copy of the Express Mail label confirming the mailing date of the First Request (Exhibit G); and

3. a true and correct copy of the postcard receipt from the Office indicating receipt of the above documents (Exhibit H).


Request to Accept Amendment

Applicant submits that the documents listed above and included with this Renewed Request sufficiently show that Applicant timely filed not only the Reply, but also the First Request; that every effort was made by Applicant consistent with the rules governing prosecution of applications; that any delay in prosecution certainly was unintentional; and that therefore the Notice of Abandonment should be rescinded, and prosecution on the merits should be reinstated.

Fee Payments

The Commissioner is hereby authorized to charge any fees in connection with this paper, and to credit any overpayments, to Deposit Account Number 501565 for the Law Office of Ray R. Regan, P.A.

Respectfully submitted,
LAW OFFICE OF RAY R. REGAN, P.A.




Ray R. Regan
Registration No. 36,899
P.O. Box 1442
Corrales, New Mexico 87048
Telephone (505) 897-7200
Facsimile (866) 425-2597
E-mail rayregan@rayregan.com

EXHIBIT A



I hereby certify that this Reply pertaining to Application Number 2215.004 is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. §1.10, Express Mail Label No. EV233997757US, on the date subscribed, in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450, on the 19th day of October, 2005.


Ray R. Regan, Attorney for Applicant, Registration No. 36,899

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	Robert Aranda, Jr.
Filing Date:	February 12, 2002
Sole Inventor:	Robert Aranda, Jr.
For:	AN INDEPENDENT AND INTEGRATED CENTRALIZED HIGH SPEED SYSTEM FOR DATA MANAGEMENT
Attorney Docket Number:	2215.004
Application Serial No:	10/974,334
Examiner:	Chirag R. Patel
Group Art Unit:	2141

**REPLY TO OFFICE ACTION
MAILED BY THE EXAMINER ON APRIL 21, 2005
AND REQUEST FOR RECONSIDERATION**

To: MAIL STOP Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Introductory Comments

In response to the Office Action dated April 21, 2005, having a statutory period for response of six months as provided in 35 U.S.C. § 133 reduced by the Commissioner to three months as provided in 37 C.F.R. § 1.136, a time set to expire on October 21, 2005, please enter this Reply in connection with the above-captioned patent application ("Application").

Other documents accompanying this paper include a Petition for Extension of Time.

The Commissioner is hereby authorized to charge any additional fees in connection with this paper, and to credit any overpayments, to Deposit Account Number 501565 for the Law Office of Ray R. Regan, P.A.

No new matter has been added to the application because of any action taken in this Reply.

Amendments to the Specification begin on page 3 of this paper.

The Listing of Claims begins on page 4 of this paper.

Remarks and Arguments of the Applicant begin on page 13 of this paper.

Amendments in the Specification

A. Please amend the title of the invention to read: "A Self-Contained Centralized Interconnected Communications Network.."

Support for the amended title is found in the specification of the application at page 2, lines 4-5.

B. Please replace the current statement of the Abstract on page 26, lines 1-13, with the following statement:

A self-contained centralized interconnected communications network, particularly useful in providing, processing, and reporting surveillance information, is provided. The network includes components capable of transmitting data at speeds of not less than 7 frames per second. The network includes one or more data acquisition devices, such as a camera, operably connected to other data acquisition devices in the network for recording digital images, at least both voice and visual. The data acquisition devices also may include one or more data stream processors. One or more voice transmission subsystems may be connected to the independent communications network, such as IP telephony. In addition, at least one client computer for processing the data is provided. At a centralized location a hub is included for receiving the data, a router is provided for transmitting the data through the system, and a server is installed for providing data analysis.

Amendments in the Claims:

This listing of claims will replace all prior versions and listings of claims in the Application:

1. (Original) An independent and integrated centralized high speed system for data management, comprising:
 - a self-contained communications network for transmitting data across the system;
 - one or more data acquisition devices operably connectable to the self-contained communications network for recording and transmitting data;
 - means for transmitting the data across the system; and
 - a private data processing center interconnectable with the one or more data acquisition devices, and means for transmitting the data across the system, for managing the data.
2. (Cancelled) ~~An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the system is equipped to transmit the data across the system at not less than 7 frames per second.~~
3. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the self-contained communications network includes at least one private network.
4. (Original) An independent and integrated centralized high speed system for data management as provided in claim 3, wherein the at least one private network is an internet protocol private network.
5. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the one or more data acquisition devices includes one or more data stream processors.

6. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the transmitting means includes at least one or more switches.
7. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the one or more data acquisition devices includes one or more cameras.
8. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the one or more data acquisition devices is equipped to substantially simultaneously record and transmit the data.
9. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the one or more data acquisition devices is equipped to substantially simultaneously record audio information.
10. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the one or more data acquisition devices is equipped to compress the data.
11. (Original) An independent and integrated centralized high speed system for data management as provided in claim 10, wherein the one or more cameras is equipped to substantially simultaneously record visual information from more than one node on the system.
12. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the private data processing center includes at least one call manager.

13. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the private data processing center includes at least one router.
14. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, wherein the private data processing center includes one or more means for conducting data across the private network.
15. (Original) An independent and integrated centralized high speed system for data management as provided in claim 1, further comprising one or more voice transmission subsystems operably connectable to the independent communications network.
16. (Currently Amended) A self-contained method for managing data, comprising:
selecting one or more data acquisition devices;
connecting the one or more data acquisition devices to an independent high speed network;
including at least one central data management subsystem operably connectable to the one or more data acquisition devices and to the independent high speed network for receiving and processing a flow of data across the independent high speed network;
transmitting the data across the independent high speed network ~~at no slower than seven frames per second~~ without broadband capability; and
processing the data to provide substantially real time information.
17. (Original) A self-contained method for managing data as recited in claim 16, wherein the one or more data acquisition devices selecting step includes the substeps of:
installing one or more data stream processors for receiving, recording, and sending the data; and
providing programmable software for transmitting and processing the data.

18. (Original) A self-contained method for managing data as recited in claim 16, wherein the one or more data acquisition devices selecting step further includes the substeps of:
- selecting at least one camera;
 - installing the at least one camera on the independent high speed network for providing audio and visual data;
 - compressing audio and video data;
 - including means for recording more than one video data stream substantially simultaneously; and
 - providing software to enable simultaneous recording and viewing of images.
19. (Original) A self-contained method for managing data as recited in claim 16, wherein the independent high speed network connecting step includes the substep of interconnecting the one or more data acquisition devices and the at least one central data management subsystem to at least one private network.
20. (Original) A self-contained method for managing data as recited in claim 16, wherein the independent high speed network connecting step includes the substep of interconnecting the one or more data acquisition devices and the at least one central data management subsystem to at least one internet protocol private network.
21. (Original) A self-contained method for managing data as recited in claim 19, further comprising the substep of disposing at least one telephony subsystem for voice transmission over the independent high speed network.
22. (Original) A self-contained method for managing data as recited in claim 21, wherein the at least one central data management subsystem including step includes the substeps of:
- receiving the data from more than one source;
 - collecting the data in one or more machines capable of storing the data;
 - executing instructions on the data;
 - transmitting the data to other nodes on the independent high speed network; and

routing incoming data to a data repository;

23. (Original) A self-contained method for managing data as recited in claim 22, wherein the data processing step includes the substep of providing software to present the data in human useable format.
24. (Currently Amended) An apparatus for monitoring a remote site, comprising:
one or more private networks;
~~wherein the one or more private networks can transmit data at seven frames per second;~~
one or more data acquisition devices operably connectable to the one or more private networks;
at least one data processing center interconnectable with the one or more private networks and the one or more data acquisition devices;
means for transmitting the data across the system; and
an internet protocol telephony subsystem connectable to the one or more private networks.
25. (Original) An apparatus for monitoring a remote site as recited in claim 24, wherein the one or more private networks is capable of transmitting voice data packets across the system.
26. (Original) An apparatus for monitoring a remote site as recited in claim 24, wherein the one or more data acquisition devices includes software for substantially simultaneous recording and viewing of data related to images.
27. (Original) An apparatus for monitoring a remote site as recited in claim 26, wherein the one or more data acquisition devices is a camera operably connectable to the one or more private networks for receiving, recording, and sending surveillance data across the one or more private networks.

28. (Original) An apparatus for monitoring a remote site as recited in claim 27, wherein the one or more data acquisition devices includes means for processing the data across the one or more private networks.
29. (Original) An apparatus for monitoring a remote site as recited in claim 24, further comprising an Ethernet switch for transmitting ranges of frequencies.
30. (Original) An apparatus for monitoring a remote site as recited in claim 29, further comprising one or more routers.
31. (Original) A method for acquiring and processing surveillance information, comprising:
- installing at least one independent data transmission system capable of high speed receipt and delivery of data;
 - connecting at least one surveillance information acquisition device to the independent data transmission system; and
 - including a plurality of devices interconnectable with the independent data transmission system capable of:
 - (1) accumulating the surveillance information from the at least one surveillance data acquisition device;
 - (2) transmitting the surveillance information to a central data management facility;
 - (3) routing the surveillance information to one or more subsystems for data storage;
 - (4) storing the surveillance information;
 - (5) updating the surveillance information;
 - (6) analyzing surveillance information;
 - (7) reporting the surveillance information on demand;
 - (8) providing telephonic communications across the at least one independent data transmission system; and
 - (9) continually repeating steps (1) through (8).

32. (Original) A method for acquiring and processing surveillance information as recited in claim 31, wherein the at least one independent data transmission system installing step includes the substep of installing a system usable with at least private branch exchanges and the Internet.
33. (Original) A method for acquiring and processing surveillance information as recited in claim 31, wherein the at least one surveillance data acquisition device connecting step includes the substeps of:
- installing one or more data stream processors capable of receiving, recording, and transmitting the surveillance information across the at least one independent data transmission system;
 - providing software for processing and transmitting the surveillance information across the at least one independent data transmission system;
 - compressing the surveillance information;
 - recording and transmitting more than one stream of surveillance information simultaneously; and
 - recording and viewing the surveillance information substantially simultaneously.
34. (Original) A method for acquiring and processing surveillance information as recited in claim 31, further comprising one or more telephony devices connectable to the at least one independent data transmission system.
35. (Original) An integrated centralized high speed system for data management of remotely acquired digital data, comprising:
- at least one high speed network for transmitting the digital data;
 - means connectable to the at least one high speed network for acquiring the digital data;
 - means operably connectable to the digital data acquiring means for transmitting the digital data across the system; and
 - means for processing the digital data to achieve data management.

36. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 35, further comprising one or more subsystems for audio communication.
37. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 35, wherein the digital data acquiring means includes at least one camera.
38. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 35, wherein the at least one camera records audio and visual signals.
39. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 38, wherein the at least one camera substantially simultaneous records and views an interrelated sequence of images.
40. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 39, wherein the at least one camera compresses data.
41. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 40, wherein the at least one camera records video data from more than one source substantially simultaneously.
42. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 41, wherein the independent high speed system for conducting the digital data transmits voice and video data.
43. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 42, wherein the receiving and processing means

includes one or more cameras equipped to substantially simultaneously record and view the digital data.

44. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 34, wherein the digital data acquiring means is at least one data stream processor.

45. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 34, wherein the digital data receiving and processing means is a private data processing center.

46. (Original) An integrated centralized high speed system for data management of remotely acquired digital data as recited in claim 34, wherein the data management processing means includes at least one switch.

REMARKS

Amendments

Except as expressly discussed below, any changes made to the application are not made in reply to any rejection or other communication from the Examiner, but are made solely to improve the clarity, readability, or understanding of the application or the portion of the application changed. No amendment was made to add new matter or narrow the scope of the claims. Indeed, all amendments were made merely as cosmetic amendments to improve the readability and coherence of the resulting patent.

Status of Prosecution

Applicant filed the original application on February 12, 2002. The Examiner mailed a non-final office action on April 21, 2005. This paper is in Reply to that office action. Applicant requests reconsideration and withdrawal of the rejections raised in that office action.

Claims 1-46 are pending. The Examiner rejected claims 1-46.

Examiner's General Objections and Rejections

On page 2 of the Office Action the Examiner required a change in the title of the invention and implied that an amendment of the abstract would be appropriate. In reply, Applicant states that the Examiner's statements are not properly characterized as rejections under 35 U.S.C. §112, but as objections. Applicant has, however, revised the abstract, and amended the title, as shown in the amendments to the specification above.

On pages 2-4 the Examiner rejected claims 1, 8, 9, 11, 16, 18, 22, 26, 33, 39, 41 and 43 under 35 U.S.C. §112, second paragraph. Applicant respectfully traverses the §112 rejections as further amplified in the Remarks section of this paper.

On pages 4-11 the Examiner rejected claims 1-8, 10-11, 13-14, 16-17, 19-20, 31, 33, 35 and 37 under 35 U.S.C. §102(e) as being anticipated by U.S. Patent No. 6,698,021 issued on February 24, 2004 to Amini *et al.* ("Amini Patent"), an argument Applicant respectfully traverses.

On pages 11-13 the Examiner rejected claims 24, 26-28 and 30 under 35 U.S.C. §103(a), as being unpatentable over the Amini Patent in view of an electronic article described as "Fickes," an argument that Applicant respectfully traverses.

On page 14 the Examiner rejected claims 25 and 29 under 35 U.S.C. §103(a), as being unpatentable over the Amini Patent and Fickes, in further view of U.S. Patent No. 6,011,579 issued on January 4, 2000 to Newlin ("Newlin Patent"), an argument that Applicant respectfully traverses.

On pages 15-18 the Examiner rejected claims 9, 12, 15, 18, 21-23, 32, 34, 36, and 38-46 over the Amini Patent in view of the Newlin Patent, an argument that Applicant respectfully traverses.

Applicant respectfully urges, therefore, that the rejections of the Examiner be withdrawn.

Rejections Under 35 U.S.C. §112

"Independent," "Integrated," and "Centralized"

On page 3 of the Office Action the Examiner asserts that the terms "independent" and "integrated" and "centralized" are contradictory. Applicant respectfully disagrees, and traverses the rejections as arising under 35 U.S.C. §112.

The term "independent," as shown in the attached sheets included collectively with this Reply as **Exhibit A**, comprising extracts from the Merriam-Webster Dictionary (electronic version), means at least that the system does not require or rely on other systems. The term "integrated" includes the meaning that the components of the system are "formed, coordinated, or blended into a functioning or unified whole." The term "centralized" means to "consolidate," and in the context of the application the specification provides that "...as also shown in Figures 1 and 3, a hub 21 is provided. In a preferred embodiment of the present invention, hub 21 is an Ethernet switch or switches. Use of an Ethernet switch is, however, not a limitation on the present invention, and hub 21 may include one or more variations of switches, including fibre channel switches (not shown)."

"High Speed"

The term "high speed" means at least what is disclosed in the specification of the application, namely that the system provides "data management capable of managing data, including surveillance information, in substantially real time." See Application, page 6, lines 7-11. The specification also indicates that the system provides "at least the capability to transmit data at significantly higher speeds than current systems provide." See Application, page 6, lines 18-19.

The Examiner's comments on page 3 of the Office Action about the term "high speed," and Applicant's replies, should also be reconsidered in view of Applicant's following comments about hindsight. Thus, as shown in extracts from *Newton's Telecom Dictionary* attached as **Exhibit B**, a person skilled in the art will appreciate that the term "high speed" (in conjunction with the term "broadband") are terms that had a technological meaning at the time the invention was made, have a meaning today, and may have yet another meaning tomorrow, due to the speed at which technology changes. Thus, for example, the Examiner suggests that the terms "high speed" and "broadband" or the terms "high speed" and "without broadband" involve the questions of a dialup connection of 56kbps. (See last line, page 3, Office Action.) According to *Newton's Telecom Dictionary*, however, "[today's common definition of broadband is any circuit significantly faster than a dialup phone line...[so that] the term 'broadband' can mean anything you want it to be so long as it's 'fast.'" See *Newton's Telecom Dictionary*, page 126, emphasis added. Likewise, the term "high speed" is a term also recognized by one skilled in the art. For example, the words "high speed" in conjunction with the words "local network" means "high throughput." A "high speed signal" is one "traveling at a DS-3 rate of 44.736 MBPS...or at either 90 Mbps or 180 Mbps (Optical mode)." See *Newton's Telecom Dictionary*, page 393.

While not required by any rejection of the Examiner, Applicant has amended the claims of the application by deleting references to seven (7) frames per second.

Accordingly, the Examiner's rejections of those terms under 35 U.S.C. §112 should be withdrawn.

A Special Note About Hindsight

The remarks above, and the fact that the system shown and claimed in the application has the capability of transmitting data "at significantly higher speeds than current systems provide," also suggests it would be appropriate to include a comment normally associated with discussions of rejections under 35 U.S.C. §103: Hindsight is impermissible, and for good reasons.

Through no fault of Applicant, through no fault of the Examiner, almost four (4) years passed between conception of the invention and mailing of the office action. In this field of art, that is an inordinately long time. Innovation continues at dizzying speeds. For those involved in the art of telecommunications, it is difficult to un-ring the proverbial bell: it is hard to remember how little was known or suggested when the subject matter of the application was invented. It is

difficult to appreciate how innovative were the concepts disclosed and claimed in the application at the time of invention. Accordingly, Applicant respectfully requests that the Examiner, who obviously is learned in the field of his art, to reassess some of the rejections in view of *why* hindsight is impermissible.

As the Examiner knows, many cases suggest not only the rule that hindsight is inappropriate, but more importantly explain *why* hindsight is inappropriate. Examples include *In re Debiczak*, 175 F.3d 994, 999, 50 USPQ2d 1614, 1617 (Fed. Cir. 1999); *Ecolochem, Inc. v. Southern California Edison Company*, Fed. Cir. No. 99-1043, September 7, 2000; *In re Sang-su Lee*, 277 F.3d at 1344, 61 USPQ2d at 1434-1435 (CAFC, 2002). These cases remind us that obviousness must not be viewed retrospectively, but solely "at the time the invention was made." *In re Debiczak*, 50 USPQ2d 1614 at 1617, citing 35 U.S.C. §103.

As the Federal Circuit observed:

Measuring a claimed invention against the standard established by section 103 requires the oft-difficult but critical step of casting the mind back to the time of the invention, to consider the thinking of one of ordinary skill in the art, guided only by the prior art references and the then-accepted wisdom in the field...Close adherence to this methodology is especially important in the case of less technologically complex inventions, where the very ease with which the invention can be understood may prompt one to "fall victim to the insidious effect of a hindsight syndrome wherein that which only the inventor taught is used against the teacher."

In re Debiczak, 50 USPQ2d 1614 at 1617.

"Substantially"

The Examiner stated at page 3 of the Office Action that the term "substantially" as used in claims 8, 9, 11, 16, 18, 26, 33, 39, 41 and 43 appear unclear. Applicant respectfully disagrees, and traverses the rejection under 35 U.S.C. §112.

The following comments also apply to all rejections by the Examiner under 35 U.S.C. §112.

§112/2, requires that a specification conclude with one or more claims "particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention." The Federal Circuit has held that for a claim to comply with § 112/2, "it must satisfy two requirements: it must set forth what 'the applicant regards as his invention,' and second, it

substantially simultaneously. Likewise, for example, dependent claim 11 is directed to “one or more cameras...equipped to substantially simultaneously record visual information from more than one node on the system.” Again, the recording of visual information need not occur precisely simultaneously, but only substantially simultaneously. The word “substantially” is used similarly in the remaining claims rejected by the Examiner for including “substantially.”

Negative Limitation

On page 3 of the Office Action the Examiner asserts, among other arguments, that independent claim 16 includes a negative limitation. To the extent that Applicant understands the basis for the rejection as set forth by the Examiner, it is first noted that negative limitations are now perfectly acceptable. As stated succinctly in the MPEP, the “current view of the courts is that there is nothing inherently ambiguous or uncertain about a negative limitation.” See MPEP §2173.05(j).

Applicant also has amended claim 16, among others, as shown in the Listing of Claims, to delete reference to seven frames per second. Accordingly, the remaining comments of the Examiner are now moot.

“Human Usable Format”

On page 4 of the Office Action the Examiner suggests that “human usable format” in claim 22 is unclear. Applicant presumes that the Examiner intended to address claim 23 rather than claim 22. In a similar distinction between computer programs identified as written in machine language (object code) and programming language (source code), “human usable format” is intended to indicate that the software presents the data in a format that is at least readable by humans.

Applicant respectfully urges, therefore, that all rejections under 35 U.S.C. §112 be withdrawn.

Rejections Under 35 U.S.C. §102(e)

On pages 4-11 the Examiner rejected claims 1-8, 10-11, 13-14, 16-17, 19-20, 31, 33, 35 and 37 under 35 U.S.C. §102(e) as being anticipated by U.S. Patent No. 6,698,021 issued on February 24, 2004 to Amini *et al.* (“Amini Patent”) an argument Applicant respectfully traverses.

35 U.S.C. §102 (e), as revised, and cited by the Examiner as the basis for rejection of independent claims 1, 16, 31, and 35, and the related dependent claims, provides:

“A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for the purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.”

Applicant submits that the Amini Patent does not satisfy the “all-elements” rule of MPEP §2131, which provides:

A claim is anticipated only if each and every element as set forth in the claim is found, either expressly or inherently described in a single prior art reference...The identical invention must be shown in as complete detail as contained in the claim...[and] the elements must be arranged as required in the claim. (Emphasis added)

While the reference includes words used by Applicant to describe elements of the apparatus in the Amini Patent, the use of similar words is not determinative. The words in the reference describe apparatus structure, and cooperation of structure, that are different than those disclosed in the Application. MPEP §2111.01 clearly requires that “...pending claims must be given their broadest reasonable interpretation consistent with the specification.” Accordingly, while the terms used to describe various elements are similar, the terms describe structural components that cooperate in completely different ways. Terms must be viewed “in light of the specification.”

Contrary to the Examiner’s argument that all elements are disclosed in the Amini Patent, a system that is independent and integrated is not, so the rejection of at least independent claims 1, 16, 31, and 35 is unsupported, and therefore should be withdrawn.

In addition, contrary to the Examiner’s argument that all elements are disclosed in the Amini Patent, a system for providing high speed transmittal of audio, visual, telephony and other data across the network is not, so the rejection of at least independent claims 1, 16, 31, and 35 is unsupported, and therefore should be withdrawn. See application, page 2, lines 1-9.

Also contrary to the Examiner's argument that all elements are disclosed in the Amini Patent, a system capable of accumulating surveillance information from at least one surveillance data acquisition device is not, so the rejection of at least independent claim 31 should be withdrawn.

Also contrary to the Examiner's argument that all elements are disclosed in the Amini Patent, a system capable of routing the surveillance information to one or more subsystems for data storage is not, so the rejection of at least independent claim 31 should be withdrawn.

Also contrary to the Examiner's argument that all elements are disclosed in the Amini Patent, a system capable of updating the surveillance information, analyzing surveillance information, reporting the surveillance information on demand, providing telephonic communications across the at least one independent data transmission system, and continually repeating at least those steps is not, so the rejection of at least independent claim 31 should be withdrawn.

Also contrary to the Examiner's argument that all elements are disclosed in the Amini Patent, a system "including a plurality of devices interconnectable with the independent data transmission system capable of...(3) routing the surveillance information to one or more subsystems for data storage" is not shown or claimed in the Amini Patent, and therefore any rejection of claim 31 on any basis should be withdrawn.

Also contrary to the Examiner's argument that all elements are disclosed in the Amini Patent, the camera and other devices shown and claimed in the application are capable of performing analyses, while the video device shown in the Amini Patent are connected strictly to the server (see Amini Patent, Fig. 4), and are analogue, rather than digital.

Also contrary to the Examiner's argument that all elements are disclosed in the Amini Patent, a system that includes at least one high speed network for transmitting the digital data is not, so the rejection of at least independent claim 35 should be withdrawn.

For those structural reasons, and for the reasons articulated below under "Discussions of Rejections under §102," Applicant respectfully requests that the rejection be withdrawn.

Discussion of Rejections under 35 U.S.C. §102

For fundamental teaching on the doctrine of anticipation, one must consider the decision of Judge Rich in *In re William J. King*, 801 F.2d 1324, 231 USPQ 136 (Fed. Cir. 1986):

It is axiomatic that anticipation of a claim under § 102 can be found only if the prior art reference discloses every element of the claim, and that anticipation is a fact question subject to review under the clearly erroneous standard. *Lindemann Maschinenfabrik v. American Hoist and Derrick*, 730 F.2d 1452, 1457, 221 U.S.P.Q. 481, 485 (Fed. Cir. 1984). Our review of a finding of anticipation is the same whether it was made by the board or by a district court.

In re William J. King at 231 USPQ 139 (emphasis added).

Further, for a reference to anticipate a claim under 35 U.S.C. §102, that reference must teach, or identically describe, each and every element or step of the claim in the identical orientation. *Atlas Powder v. E.I. duPont*, 750 F.2d 1569, 224 USPQ 409 (Fed. Cir. 1984); *Jamesbury Corp. v. Litton Industrial Products*, 756 F.2d 1556, 225 USPQ 253 (Fed. Cir. 1985) (emphasis added). “Anticipation” is a restrictive concept, requiring the presence in a single prior art disclosure of each and every element of a claimed invention. The test for infringement by anticipation should be rephrased as, “That which would *literally* infringe if later in time anticipates if earlier than the date of invention.” (Emphasis in the original) See also *Lewmar Marine, Inc. v. Barient, Inc.*, 827 F.2d 744, 3 USPQ2d 1766 (Fed. Cir. 1987). Further, as held in *Scripps Clinic & Research Foundation v. Genentech, Inc.*, 927 F.2d 1565, 18 USPQ2d 1001, 18 USPQ2d 1896 (Fed. Cir. 1991), “there must be no difference between the claimed invention and the reference disclosure, as viewed by a person of ordinary skill in the field of the invention.” (Emphasis added.) As discussed above, the Reference does not disclose the identical structure and cooperation of structure as described in the Application examined by the Examiner. *Kalman v. Kimberly-Clark Corp.*, 713 F.2d 760, 218 USPQ 781 (Fed. Cir. 1983).

Therefore, Applicant respectfully urges that the cited reference does not anticipate Applicant's invention as claimed, and that the rejections be withdrawn.

First Rejection under 35 U.S.C. §103(a)

On pages 11-13 the Examiner rejected independent claim 24, and dependent claims 26-28 and 30 under 35 U.S.C. §103(a), as being unpatentable, or obvious, over the Amini Patent in view of an electronic article described as “Fickes,” an argument that Applicant respectfully traverses.

35 U.S.C. §103 provides:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Applicant respectfully submits, however, that the differences between the subject matter sought to be patented, and the references cited by the Examiner, are not such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which the subject matter pertains.

Applicant adopts and incorporates by reference the arguments made in connection with the rejections under 35 U.S.C. §102 above.

Moreover, as stated in the MPEP, to establish a *prima facie* case of obviousness three basic criteria must be satisfied: (1) a suggestion or motivation to modify the cited reference or to combine the teachings in the cited references; (2) a reasonable expectation of success; and (3) the cited references must teach or suggest all the claim limitations. See MPEP §706.02(j). The cited reference “must expressly or impliedly suggest the claimed invention....”

As also provided in MPEP §2143.01, the “mere fact that references can be combined or modified does not render the resultant combination obvious unless the prior art also suggests the desirability of the combination.”

Also, “most if not all inventions arise from a combination of old elements...Thus, every element of a claimed invention may often be found in the prior art. However, identification in the prior art of each individual part claimed is insufficient to defeat patentability of the whole claimed invention. Rather, there must be some motivation, suggestion, or teaching of the desirability of making the specific combination that was made by applicant.” See In re Kotzab, 217 F.3d 1365, 55 USPQ2d 1313 (Fed. Cir. 2000).

Further, references cannot be modified or combined if their function is destroyed. See MPEP §2143.01. If the proposed modification or combination of the prior art would change the principle of operation of the prior art invention being modified, then the teachings of the references are not sufficient to render the claims *prima facie* obvious.

In addition, Applicant's disclosure should not be used as a blueprint to reconstruct the claimed coupler out of isolated teachings in the prior art. Hindsight, in other words, as earlier emphasized, is impermissible. *Grain Processing Corp. v. American Maize-Products*, 840 F.2d 902, 907, 5 USPQ2d 1788, 1792 (Fed. Cir. 1988).

Additionally, all claim limitations must be considered, especially when missing from the alleged prior art. That is because 35 U.S.C. §103 is concerned with differences between the subject matter sought to be patented, and the alleged prior art, with the subject matter sought to be patented viewed as a whole. *In re Fine*, 873 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988).

In addition to reminding that retrospective findings of obviousness are impermissible, the cases also require proof, actual evidence, to support an obviousness rejection.

The Federal Circuit has emphasized that evidence must support the assertion of a suggestion, teaching, or motivation; if there is no evidence of such a suggestion, teaching, or motivation, it is inappropriate to "make the inventor's disclosure a blueprint for piecing together the prior art to defeat patentability -- the essence of hindsight. Broad conclusory statements regarding the teaching of multiple references, standing alone, are not "evidence." *In re Debiczak*, 50 USPQ2d 1614 at 1617. The evidence, in other words, must show a "skilled artisan, confronted with the same problems as the inventor and with no knowledge of the claimed invention, would select the elements from the cited prior art references for combination in the manner claimed." *Ecolochem, Inc. v. Southern California Edison Company*, at page 11, quoting *In re Rouffet*, 149 F.3d 1350, 1359, 47 USPQ2d 1453, 1459 (Fed. Cir. 1998). The Court also emphasized the proof standard by confirming that "[A] rejection cannot be predicated on the mere identification...of individual components of claimed inventions. Rather, particular findings must be made as to the reason the skilled artisan, with no knowledge of the claimed invention, would have selected these components for combination in the manner claimed." *Ecolochem, Inc. v. Southern California Edison Company*, at page 11, quoting *In re Werner Kotzab*, 217 F.3d 1365, 1371, 55 USPQ2d 1313, 1317 (Fed. Cir. 2000).

The Cited References

Regarding the base, or primary, reference, namely the Amini Patent, the Applicant already has shown that one of the elements of a *prima facie* case of obviousness, that the cited reference "must expressly or impliedly suggest the claimed invention....," has not been

established by the Examiner. Nothing in the secondary reference, or Fickes, shows the slightest motivation, suggestion, or teaching of the desirability of making the specific combination made by applicant. At most, Fickes discussed merely the use of a remote monitoring system, with no specifics.

Applicant also notes that the Fickes article is simply that, apparently a news article, not an extract from a learned treatise. The inductive arguments the Examiner seeks to make from that article are hearsay, not self-authenticating, have no probative value, and should be accorded no relevancy in connection with the examination of the application, and certainly not to support the truth of the Examiner's arguments.

The application of Applicant is expressly directed to a private system. For example, independent claim 1 is directed to "an independent and integrated centralized high speed system for data management...[that includes]... a private data processing center interconnectable with the one or more data acquisition devices, and means for transmitting the data across the system, for managing the data." (Emphasis added.) None of the references cited for rejection under 35 U.S.C. §103, including the Amini Patent, are directed to a private system, and at least for that reason all rejections for "obviousness" should be withdrawn.

Accordingly, the Examiner has not made a prima facie showing of obviousness, and the rejections of claims therefore should be withdrawn.

Second Rejection under 35 U.S.C. §103(a)

On page 14 the Examiner rejected claims 25 and 29 under 35 U.S.C. §103(a), as being unpatentable over the Amini Patent and Fickes, in further view of U.S. Patent No. 6,011,579 issued on January 4, 2000 to Newlin ("Newlin Patent"), an argument that Applicant respectfully traverses.

35 U.S.C. §103 provides:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Applicant respectfully submits, however, that the differences between the subject matter sought to be patented, and the references cited by the Examiner, are not such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which the subject matter pertains.

Applicant adopts and incorporates by reference the arguments made in connection with the rejections under 35 U.S.C. §102 and §103 above.

Regarding the base, or primary, reference, namely the Amini Patent, the Applicant already has shown that one of the elements of a *prima facie* case of obviousness, that the cited reference “must expressly or impliedly suggest the claimed invention....,” has not been established by the Examiner. Nothing in the secondary reference, or Fickes, shows the slightest motivation, suggestion, or teaching of the desirability of making the specific combination made by applicant.

Applicant also notes that the Fickes article is simply that, apparently a news article, not an extract from a learned treatise. The inductive arguments the Examiner seeks to make from that article are hearsay, not self-authenticating, have no probative value, and should be accorded no relevancy in connection with the examination of the application, and certainly not to support the truth of the Examiner’s arguments.

Because neither the primary reference nor the secondary reference support a *prima facie* showing of obviousness, the tertiary reference can have no more validity in supporting the Examiner’s arguments.

Accordingly, the Examiner has not made a *prima facie* showing of obviousness, and the rejections of claims therefore should be withdrawn.

Third Rejection under 35 U.S.C. §103(a)

On pages 15-18 the Examiner rejected claims 9, 12, 15, 18, 21-23, 32, 34, 36, and 38-46 over the Amini Patent in view of the Newlin Patent, an argument that Applicant respectfully traverses.

Applicant respectfully submits, however, that the differences between the subject matter sought to be patented, and the references cited by the Examiner, are not such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which the subject matter pertains.

Applicant adopts and incorporates by reference the arguments made in connection with the rejections under 35 U.S.C. §102 and §103 above.

Regarding the base, or primary, reference, namely the Amini Patent, the Applicant already has shown that one of the elements of a *prima facie* case of obviousness, that the cited reference "must expressly or impliedly suggest the claimed invention....," has not been established by the Examiner. Nothing in the secondary reference, or the Newlin Patent, shows the slightest motivation, suggestion, or teaching of the desirability of making the specific combination made by applicant.

Because the primary reference does not meet the requirements necessary to establish a *prima facie* case of obviousness, the secondary reference can have no more validity in supporting the Examiner's arguments.

The Newlin Patent also is directed to analogue telephone sets, unlike the digital audio and video components of the application. See Newlin Patent, Figure 3. Accordingly, the Newlin Patent would not disclose a high speed system.

Accordingly, the Examiner has not made a *prima facie* showing of obviousness, and the rejections of claims therefore should be withdrawn.

Conclusions


For the reasons set forth above, Applicant respectfully requests reconsideration and withdrawal of the rejection of all claims.

The remaining references cited by the Examiner, but not relied on for the rejection of claims, have been noted. Because the remaining references are no more pertinent than the applied references, a detailed discussion of these remaining references is deemed unnecessary for a full and complete Reply to the Office Action.

In conclusion, Applicant respectfully asserts that this Reply is complete as contemplated in 37 CFR §1.111, that claims are patentable for the reasons set forth above, and that the Application is now in condition for allowance. Accordingly, Applicant respectfully requests an early notice of allowance. The Examiner is requested to call the undersigned at (505) 897-7200 for any reason that would advance the instant application to issue.

Respectfully submitted,

LAW OFFICE OF RAY R. REGAN, P.A.



Ray R. Regan
Registration No. 36,899
P.O. Box 1442
Corrales, New Mexico 87048
Telephone (505) 897-7200
Facsimile (505) 897-7201
E-mail rayregan@rayregan.com

Exhibit A and Exhibit B Follow

EXHIBIT A

Main Entry: **in·te·grate**

Pronunciation: **ˈin-tə-ˌgrāt**

Function: *verb*

Inflected Form(s): **-grat·ed; -grat·ing**

Etymology: Latin *integratus*, past participle of *integrare*, from *integr-*, *integer*

Date: 1638

transitive senses

1 : to form, coordinate, or blend into a functioning or unified whole : UNITE

2 : to find the integral of (as a function or equation)

3 a : to unite with something else **b** : to incorporate into a larger unit

4 a : to end the segregation of and bring into equal membership in society or an organization **b** : DESEGREGATE
 ⟨integrate school districts⟩

intransitive senses : to become integrated

Main Entry: **in·de·pen·dent**

Pronunciation: **in-də-ˈpen-dənt**

Function: *adjective*

Date: 1611

1 : not dependent: as **a** (1) : not subject to control by others : SELF-GOVERNING (2) : not affiliated with a larger controlling unit **b** (1) : not requiring or relying on something else : not contingent (an *independent* conclusion) (2) : not looking to others for one's opinions or for guidance in conduct (3) : not bound by or committed to a political party **c** (1) : not requiring or relying on others (as for care or livelihood) (independent of her parents) (2) : being enough to free one from the necessity of working for a living (a man of *independent* means) **d** : showing a desire for freedom (an *independent* manner) **e** (1) : not determined by or capable of being deduced or derived from or expressed in terms of members (as axioms or equations) of the set under consideration; *especially* : having linear independence (an *independent* set of vectors) (2) : having the property that the joint probability (as of events or samples) or the joint probability density function (as of random variables) equals the product of the probabilities or probability density functions of separate occurrence

2 *capitalized* : of or relating to the Independents

3 a : MAIN 5 (an *independent* clause) **b** : neither deducible from nor incompatible with another statement (independent postulates)

Synonyms see FREE

— **in·de·pen·dent·ly** *adverb*

Main Entry: **cen·tral·ize**

Pronunciation: ¹sen-trə-**l**īz

Function: *verb*

Inflected Form(s): **-ized; -iz·ing**

Date: 1800

intransitive senses : to form a center : cluster around a center

transitive senses

1 : to bring to a center : CONSOLIDATE (centralize all the data in one file)

2 : to concentrate by placing power and authority in a center or central organization

– **cen·tral·i·za·tion** \,sen-trə-lə-¹zā-shən\ *noun*

– **cen·tral·iz·er** \¹sen-trə-**l**ī-zər\ *noun*

EXHIBIT B

"An essential resource." —PC Magazine

RATED

★★★★★

OVER 650,000 SOLD



NEWTON'S TELECOM DICTIONARY

Covering Telecommunications, Networking,
Information Technology, the Internet,
the Web, Computing, Wireless and Fiber

MORE THAN 21,000 TERMS DEFINED

20th

Updated and Expanded Edition
by Harry Newton

CMPBooks

Bridge Group / Broadband Multimedia

These signals will be understood only if the protocols used on each LAN are the same, e.g. XNS or TCP/IP, but they don't have to be the same for the bridge to do its job for the signals to move on either LAN. They just won't be understood. This differs from gateways and routers. Routers connect LANs with the same protocols but different hardware. The best examples are the file servers that accommodate different hardware LANs. Gateways connect two LANs with different protocols by translating between them, enabling them to talk to each other. The bridge does no translation. Bridges are best used to keep networks small by connecting many of them rather than making a large one. This reduces the traffic faced by individual computers and improves network performance.

Bridge Group Virtual LAN terminology for a group of switch interfaces assigned to a singular bridge unit and network interface. Each bridge group runs a separate Spanning Tree and is addressable using a unique IP address.

Bridge Lifter A device that removes, either electrically or physically, bridged telephone pairs. Relays, saturable inductors, and semiconductors are used as bridge lifters.

Bridge Protocol Data Unit BPDUs. The implementation of the spanning tree protocol (STP) and rapid spanning tree protocol (RSTP) protocols allows network devices to detect and block links that could cause logical loops within a network and to manage redundant links to maintain network integrity in the event of a link failure. Bridges and switches that use the spanning tree protocol (STP) or the rapid spanning tree protocol (RSTP) use the bridge protocol data unit (BPDU) to communicate with each other and exchange information. The BPDU is a datagram that has a specific format to relay the following information about the switch that transmits it:

- Media Access Control (MAC) addresses (switch and port)
- Switch priority
- Port priority
- Port cost
- Root switch identifier
- Root port and designated port identifiers
- Path cost from port to root switch

Spanning tree enabled devices gather the BPDUs from other devices on the network and use the information to make configuration decisions such as the election of a root device, the election of a designated switch to become a link between a subnet and the root device, the designation of root and designated ports that are used to communicate STP and RSTP information, the shortest best path between a device and the root switch, and finally the detection and removal of loops in the network.

When a change occurs in a network topology BPDUs are resent between the network devices to determine if a reconfiguration is required. For instance, if the root switch fails, BPDUs can be resent to figure out a new root switch. Also if a link between network devices fails, a previously blocked redundant link can be opened to maintain network communication. The exchange of BPDUs makes configuration and reconfiguration of the spanning tree topology possible, however, STP and RSTP BPDUs are not the same. RSTP BPDUs are optimized for quicker configuration of the network and are therefore different than traditional STP BPDUs. Steps have been taken though to ensure the compatibility between the two standards such that data exchanged between STP and RSTP devices is unhindered.

Bridge Static Filtering The process in which a bridge maintains a filtering database consisting of static entries. Each static entry equates a MAC destination address with a port that can receive frames with this MAC destination address and a set of ports on which the frames can be transmitted. Defined in the IEEE 802.1 standard. See also IEEE 802.1.

Bridge Tap An undetermined length of wire attached between the normal endpoints of a circuit that introduces unwanted impedance imbalances for data transmission. Also called bridging tap or bridged tap. See Bridged Tap.

Bridged Jack A dual position modular female jack where all pins of one jack are permanently bridged to the other jack in the same order.

Bridged Ringing A system where ringers on a phone line are connected across that line.

Bridged Tap A bridged tap is multiple appearances of the same cable pair at several distribution points. A bridged tap is any section of a cable pair not on the direct electrical path between the central office and the user's offices. A bridged tap increases the electrical loss on the pair — because a signal traveling down the pair will split its signal between the bridges and the main pair. Since most existing telephone company cable pair is bridged, the phone company puts loading coils in the circuit. The effect of load coils is to modify the loss versus frequency response of the pair so it is nearly constant across the voice band. This works for voice. However the loss above the voice band due to load coils

increases rapidly. ISDN, T-1, DSL and other digital circuits operates above the voice band. So, when the phone company installs digital circuits, it must remove the load coils. See Bridge and Loading Coil.

Bridge Amplifier An amplifier which is connected directly into the main trunk of a CATV system, providing isolation between the main trunk and multiple (high level) outputs.

Bridging Bridging across a circuit is done by placing one test lead from a test set on a conductor from another circuit and placing it on one conductor of another circuit. And then doing the same thing to the second conductor. You bridge across a circuit to test the circuit by listening in on it, by dialing on it, by running tests on the line, etc. You can bridge across a circuit by going across the pair in wire, by stripping it, etc. You can bridge across a pair (also called a circuit path) by installing external devices across quick clips on a connecting block.

Bridging Adapter A box containing several male and female electrical connectors that allows various phones and accessories to be connected to one cable. Bridging adapters work well with 1A2 key systems and single line phones, but usually not with electronic digital key systems and electronic or digital telephones behind PBXs.

Bridging Clip A small piece of metal with a U-shape cross-section which is used to connect adjacent terminals on 66-type connecting blocks.

Bridging Connection A parallel connection by means of which some of the signal energy in a circuit may be extracted, usually with negligible effect on the normal operation of the circuit. Most modern phone systems don't encourage bridging connections since the negligible is rarely negligible.

Bridging Loss The loss of a given frequency resulting from connecting an impedance across a transmission line. Expressed as the ratio (in decibels) of the signal power delivered to that part of the system following the bridging point before bridging to the signal power delivered to that same part after the bridging.

Bridge Cards Proprietary Basic Rate ISDN Dual Loop Extension that lets ISDN service be provided up to 28,000 feet away. See ISDN.

BRIDS Bellcore Rating Input Database System.

Briefcase A Windows 95 feature that allows you to keep multiple versions of a file in different computers in sync with each other.

Brightness An attribute of visual reception in which a source appears to emit more or less light. Since the eye is not equally sensitive to all colors, brightness cannot be a quantitative term.

BRISC Bell-Northern Research Reduced Instruction Set Computing.

Brite Cards And Services Basic Rate Interface Transmission Extension lets telephone companies extend service from ISDN-equipped central offices to conventional central offices. See ISDN.

British Telecommunications Act In 1981 in the U.K. this act separated telecommunications from the post office and created British Telecommunications (BT). See also Post Office Act.

Brittle Easily broken without much stretching.

Broadband Today's common definition of broadband is any circuit significantly faster than a dial-up phone line. That tends to be a cable modem circuit from your friendly local cable TV provider, a DSL circuit, a T-1 or an E-1 circuit from your friendly local phone company. In short, the term "broadband" can mean anything you want it to be so long as it's "fast." In short, broadband is now more a marketing than a technical term. See also the definitions following.

Broadband Amplifier An amplifier with a relatively wide frequency response distinguished from a single channel or narrower band amplifier.

Broadband Bearer Capability A bearer class field that is part of the network address message.

Broadband Integrated Services Digital Network B-ISDN.

Broadband Inter-Carrier Interface BICI. A carrier-to-carrier interface line PNNI (private network-to-network interface) that is needed because carriers do not permit their switches to share routing information or detailed network maps with their competition's equipment. NOTE: BICI supports permanent virtual circuits between carriers. However, the ATM Forum is currently addressing switched virtual circuits.

Broadband Loop Emulation Services See BLES.

Broadband Multimedia Broadband multimedia is the present obsession of Terry Matthews, the only man in Canada who founded two companies to reach initial sales of over \$1 billion. He is now working on his third, called March Networks, which

crises on broadband multimedia. Terry's obsession in a nutshell:

As we wire the world for broadband communications and as the cost drops dramatically (a factor of a hundredfold over the past five years), we open the world to an entire new range of new telecommunications opportunities — those involving video, voice and data combined as a viewable, storable, retrievable record. Visiting patients electronically makes for happier nurses, happier, longer living patients. Ditto for online, broadband education. Shrinkage (i.e. stealing) is a \$32 billion industry in the U.S. Cut it by 10% with extensive video surveillance tied to cash register transactions and you'll increase retail store net income by 18%. In the utility industry (pipelines, electricity, oil, etc.) security and operations managers must manage hundreds of remote installations, mitigating threats to reliable power delivery. Centralizing video and data records from remote sites allows utilities to collect valuable multimedia (graphic and useful) information that can significantly lower operations cost. Such applications include verification of alarms reported by SCADA (Supervisory Control And Data Acquisition) systems, visual equipment inspection, remote project management and monitoring of conditions of dams, rivers and other electricity generating sites.

The telecommunications industry is about to enter a new era — selling specialty multimedia vertical industry applications. This contrasts with what we do today. We sell horizontal applications. This means that the industry's services are the same for every customer. Every customer buys bandwidth in various widths. And because my bandwidth is indistinguishable from your bandwidth, our major method of competing as telecom carriers has been to cut prices. No more.

Selling these new broadband multimedia applications will help chew up the excess bandwidth carriers installed in recent years.

Selling these applications as applications, not as bandwidth, will significantly boost profits.

Selling these new applications as applications is akin to selling additional channels of television programming on one common pipe — the coaxial cable which your CATV brings to your house.

Broadband Personal Communications Standards BPCS. Consists of 120 MHz of new spectrum available for new cellular networks. Also known as wideband PCS.

Broadband Switching System See BSS.

Broadband Wireless Local Loop B-WLL is also known as local multipoint distribution service, i.e. LMDS. B-WLL is a way of getting various multimedia services such as high-speed Internet, cable TV, and VOD (video-on-demand) to subscribers. The great advantage of B-WLL is that wireless technology can be used to connect the costly last mile of high data speed networks from an operator's backbone network to individual users. The technology uses millimeter wave signals in the 28 GHz spectrum to transmit voice, video, and data signals within a three-mile to 10-mile radius.

B-WLL differs from an ordinary transport system in the way a train differs from a pipeline. Both are data transport systems, but a pipeline can transport only one product from one place to another. A train, on the other hand, can transport many different products over the same infrastructure. LMDS, implemented with multi-service protocol such as ATM, can transport, among others, voice, Internet, Ethernet, video, computer files, and transaction data. It is the multipoint radio technology, combined with the appropriate protocol and access method that gives LMDS its potential tremendous potential. LMDS/B-WLL infrastructure technology can be divided into two basic multiple access technologies: FDD and TDD. FDD equipment uses separate frequencies for the up-link and down-link channels, as opposed to TDD, which uses the same frequency channel for both up-link and down-link, separating the traffic by the use of time slots. FDD equipment differs among vendors in the type of backbone network technology incorporated into the system. The two primary divisions are cable-modem-based versus telecom-network-based. With respect to the telecom-backbone-based solutions, there are two basic architectures being developed: time division multiplex (TDM) and packet-based (either ATM or IP). B-WLL has some advantages: (1) It can be engineered to provide 99.99% availability, rivaling that of the best fiber backbones. (2) It can be deployed quickly. Once a hub is installed (a matter of days), new customers can be added in a matter of hours. (3) It is estimated that deployment of a B-WLL system is about 60% cheaper than fiber-optic cable-based networks. Physical technologies such as copper or fiber require individual rights-of-way to each building, as well as the physical placement of the transport media. (4) Wireless equipment is less vulnerable to sabotage, theft, or damage resulting from exposure to the elements. There are negatives. (1)

It requires line-of-sight. You typically can't shoot it through buildings or hills. (2) Bad weather can affect it.

Broadcast 1. To send information to two or more receiving devices simultaneously — over a data communications network, voice mail, electronic mail system, local TV/radio station or satellite system. Broadcast involves sending a transmission simultaneously to all members of a group. In the context of an intelligent communications network, such devices could be host computers, routers, workstations, voice mail systems, or just about anything else. In the less intelligent world of "broadcast media," a local TV or radio station might use a terrestrial antenna or a satellite system to transmit information from a single source to any TV set or radio capable of receiving the signal within the area of coverage. See also Narrowcasting and Pointcasting. Contrast with Unicast, Anycast and Multicast.

2. As the term applies to cable television, broadcasting is the process of transmitting a signal over a broadcast station pursuant to Parts 73 and 74 of the FCC rules. This definition is deliberately restrictive: it does not include satellite transmission, and it does not include point-to-multipoint transmission over a wired or fiber network. In spite of the fact that the broadcast industry and the cable television industry are forever bound together in a symbiotic relationship, they are frequently at odds over policy issues. See Broadcast Station. Compare with Cablecast.

Broadcast Channel BCCH. A wireless term for the logical channel used in certain cellular networks to broadcast signaling and control information to all cellular phones. BCCH is a logical channel of the FDCCH (Forward Digital Control Channel), defined by IS-136 for use in digital cellular networks employing TDMA (Time Division Multiple Access). The BCCH comprises the E-BCCH, F-BCCH and S-BCCH. The E-BCCH (Extended-BCCH) contains information which is not of high priority, such as the identification of neighboring cell sites. The F-BCCH (Fast-BCCH) contains critical information which must be transmitted immediately; examples include system information and registration parameters. S-BCCH (System message-BCCH), which has not yet been fully defined, will contain messages for system broadcast. See also IS-136 and TDMA.

Broadcast Domain Set of all devices that receive broadcast frames originating from any device within the set. Broadcast domains typically are bounded by routers because routers do not forward broadcast frames.

Broadcast List A list of two or more system users to whom messages are sent simultaneously. Master Broadcast Lists are shared by all system users and are set up by the System Administrator. Personal Lists are set up by individual subscribers.

Broadcast Message A message from one user sent to all users. Just like a TV station signal. On LANs, all workstations and devices receive the message. Broadcast messages are used for many reasons, including acknowledging receipt of information and locating certain devices. On voice mail systems, broadcast messages are important announcement messages from the system administrator that provide information and instructions regarding the voice processing system. Broadcast messages play before standard Voice Mail or Automated Attendant messages.

Broadcast Net A British Telecom turret feature that allows each trader single key access to a group of outgoing lines. This is designed primarily for sending short messages to multiple destinations. The "net" function allows the user to set up and amend his broadcast group.

Broadcast Quality A specific term applied to pickup tubes of any type — vidicon, plumbicon, etc. — which are without flaws and meet broadcast standards. Also an ambiguous term for equipment and programming that meets the highest technical standards of the TV industry, such as high-band recorders.

Broadcast Station An over-the-air radio or television station licensed by the FCC pursuant to Parts 73 or 74 of the FCC Rules, or an equivalent foreign (Canadian or Mexican) station. Cable television systems are authorized by FCC rules to retransmit broadcast stations; however, such retransmission is subject to a number of restrictions:

- The cable television operator is liable for copyright royalty fees collected by the Copyright Office.
- Under certain conditions, certain broadcast stations are eligible for mandatory carriage.
- Under certain conditions, the cable operator must obtain the permission of the licensee of the broadcast station. This term includes satellite-delivered broadcast "superstations" such as WGN-TV and WWOR, but it does not include:
- Satellite-delivered non-broadcast programming services (HBO, ESPN, C-SPAN, QVC, etc.).

High Level Modulation Modulation at the last amplifier stage of a transmitter.

High Low Tariff A tariff in which two prices are given for something — a high price and a low price. The first high/low tariff from AT&T was for leased voice lines where a lower charge was made per mile for connections between routes that have much traffic (high density) and greater charges per mile are made for all other (Low Density) routes. The high/low tariff was significant because it was AT&T's response to competition from long distance carriers like MCI and it was one of the first moves away from nationwide rate increases, which was the way things were done under monopoly.

High Memory Area (HMA) High Memory Area is the first 64KB of extended memory. If you're using MS-DOS 5.0 or 6.0, you can save some conventional memory (i.e. RAM) by loading the operating system into HMA. Add the line DOS=HIGH to your CONFIG.SYS to use HMA for the operating system.

High Order Bit Also known as an "alt bit," "high bit," and "meta bit," the most significant bit of a byte; a high-order bit generally is the first bit in a byte. Since the high bit is the first bit in a byte, it is the first bit that a device sees, and therefore the bit on which action is taken. The high-order bit can be used for a wide variety of purposes in a data communications environment, all of which identify to the receiving device the relative significance relative to the handling of the associated data. For example, the high bit in the header of a packet can be used by a device to indicate the priority level of the packet data packet transfer. The high bit also can be used to indicate the highest level of error, in order that the network can route the data properly.

High Pass Filter A filter which passes frequencies above a certain frequency and rejects frequencies below that level.

High Performance Computing Act An Act passed by Congress in 1991 to create the region of computer "superhighways" linking computers at universities, research laboratories and industrial organizations. One objective of the High Performance Computing Program is the establishment of a gigabit/second National Research and Education Network (NREN) that will link the government, industrial and higher education communities involved in general research activities. Such a gigabit network would provide a significant increase in bandwidth compared with the existing National Science Foundation network, which is evolving from a 1.5 megabit per second (T-1) backbone to 45 megabit per second (T-3).

High Performance Computing and Communications See HPC.

High Performance Parallel Interface HIPPI. A high-speed multi-signal parallel interface to an RS-232 interface but for high-speed computers, etc. HIPPI provides 800 (or 1600) Mb/s interconnections using 32 (or 64) bit wide parallel data paths at distances up to 25 meters (or longer if use fiber). Standardization activity is in ANSI X3.230.

High Performance Routing HPR. A local area networking term. HPR is the high performance APPN — referred to in the past as APPN+ — that adds IP-like dynamic routing, e.g., dynamic alternate routing in the event of path failure — features to APPN and uses a routing mechanism that works at Layer 2 using a RIF concept similar to the one used in SRB.

High Power Amplifier HPA. A device which provides the high power needed to transmit 22,000 miles plus from an earth station to a satellite.

High Recognition The ability of a voice recognition system containing active vocabulary words to detect those sounds that do not match closely the words in its vocabulary.

High Resolution TV Television with over 1,000 lines per screen, about double the resolution of present systems. Sometimes called HDTV, for high-definition television. It is a set of standards for high resolution TV. See HDTV for a bigger explanation.

High Sierra Format A standard format for placing files and directories on CD-ROMs, defined and adopted by the International Standards Organization as ISO 9660.

High Speed Digital Subscriber Loop See HDSL.

High Speed Local Network HSLN. A local network designed to provide high speed data transfer between expensive, high-speed devices, such as mainframes and mass storage devices.

High Speed Printer Any printer which can print at over 100 lines a minute. Like

many definitions, this one is arbitrary. Some people claim a dot matrix is "high speed" and a letter quality, daisy wheel is a "low speed" printer. Laser printers could be classed as high speed printers, maybe.

High Speed Register Set Registers are storage locations within the CPU that are used to hold both the data to be operated on and the instructions to accomplish the operations.

High Speed Signal An AT&T definition for a signal traveling at the DS-3 rate of 44.736 Mbps (million bits per second) or at either 90 Mbps or at 180 Mbps (Optical mode).

High Split 1. A broadband cable system in which the bandwidth used to send toward the head-end (reverse direction) is approximately 6 MHz to 180 MHz, and the bandwidth used to send away from head-end (forward direction) is approximately 200 MHz to 400 MHz. The guard band between the forward and reverse directions (180 MHz to 220 MHz) provides isolation from interference. High split requires a frequency translator which transfers the originating signals to other frequency ranges at the head-end, in either direction. Historically, CATV systems used the spectrum below Channel 2 for inbound transmissions from the user premise to the head-end; that frequency range is 5-30/40 MHz.

2. A term used in radio communications, including paging and cellular, for several ranges of frequency used to connect a remote site to a main site. For instance, the low-split might be 806.0125 MHz and the high-split 851.0125-869.9875 MHz. Frequency translators are used to transfer the signal to another frequency range from that point forward.

High Tech A highfalutin' (i.e. overly pretentious) way of saying technology. I excoriated the term out of this dictionary out of disgust.

High Tier A PCS cell phone service for users moving in a high-speed automobile. High-tier PCS systems are often straightforward evolutions of current digital cellular systems. In contrast, a low-tier is a PCS cell phone service for pedestrians or slow moving vehicles (no more than 30 to 40 mph). An evolution of cordless systems originally intended for in-building applications. Systems use small cells, so they can be designed with low-power transmitters and experience fewer handoffs than high-tier PCS systems (with high-speed, mobile users). Systems provide lower cost and higher-quality services, for low-speed users only.

High Usage Groups Trunk groups established between two central office switching machines to serve as the first choice path between the machines and thus, handle the bulk of the traffic. See High Usage Trunk Group.

High Usage Trunk Group A Bellcore definition. A trunk group that is designed to overflow a portion of its offered traffic to an alternate route.

High Water Mark A financial term. Let's say you give a money manager \$100,000 of your money to manage. You agree to pay him 20% profit-sharing of all your gains. And you agree to do this annually. Let's say one year your manager loses 20% of your money. But the next year he earns 15%. He doesn't receive any profit-sharing of your 15% until he has earned back what he lost and is above the high water mark — the place you started. For a more formal definition, here's one from www.hedgeworks.com. High-water mark is an investor's capital basis in a given year used to determine the minimum value to which a manager's performance fee is measured. For example, a manager may only charge an investor a performance fee for any gains achieved over the investor's capital basis or the gains achieved since the last performance fee was charged.

Highway 1. Another word for BUS. A common path or set of paths over which many channels of information are transmitted. The channels of the highway are separated by some electrical technique.

2. The Information Superhighway. In 1995, a consulting firm called Ovum defined the superhighway as a mechanism for providing access to electronic information and content held on network servers. It has four key features, according to Ovum: A. It supports two way communications. B. It offers more than just simple voice telephony. C. It is interactive and provides real-time, cooperative communications, and D. It supports electronic screen-based applications.

Highway Construction Supervisor A consultant to provide assistance in specification, installation and/or operation of systems and software for accessing the information highway.

Highway Patrol A slang term for the U.S. Congress.

Hijacking An attack on a computer system in which an established TCP/IP session is redirected in mid-session to an unauthorized host system.

HiperLAN/2 A high-speed standard for broadband wireless LAN applications approved by the ETSI in February 2000, consisting of three profiles for the corporate, pub-

EXHIBIT B



I hereby certify that this Petition for Extension of Time and a check for the extension fee in connection with Application No. 10/974,334 in the amount of \$510.00 are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR §1.10 on the date subscribed, in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on October 19, 2005.


Ray R. Regan, Attorney for Applicant, Registration 36,899

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Robert Aranda, Jr.
Filing Date: February 12, 2002
Sole Inventor: Robert Aranda, Jr.
For: AN INDEPENDENT AND INTEGRATED
CENTRALIZED HIGH SPEED SYSTEM
FOR DATA MANAGEMENT
Attorney Docket Number: 2215.004
Application Serial No: 10/974,334
Examiner: Chirag R. Patel
Group Art Unit: 2141

**PETITION FOR EXTENSION OF TIME
UNDER 37 CFR §1.136(a)**

To: Mail Stop REPLY TO OFFICE ACTION
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

This is a request under the provisions of 37 CFR §1.136(a) to extend the period for filing a response to the Office Action mailed to Applicant on April 21, 2005.

The requested extension is for three (3) months.

The requested extension is for a small entity, and this document is a written assertion confirming that Applicant claims entitlement to small entity status.

The fee required under 37 CFR § 1.17(a) in the amount of \$510.00 is to be paid as follows:

- [X] a check in the amount of the fee is enclosed;
- [X] the Commissioner is authorized to charge any fees which may be required, or credit any overpayment, to Deposit Account Number 501565 for the Law Office of Ray R. Regan, P.A.; and
- [X] if an additional extension of time is required, please consider this a petition therefore, and charge any additional fees that may be required to Deposit Account No. 501565 for the Law Office of Ray R. Regan, P. A.

A duplicate copy of this sheet is enclosed.

I am attorney of record for Applicant.

Dated the 19th day of October, 2005

Respectfully submitted by:

LAW OFFICE OF RAY R. REGAN, P.A.


Ray R. Regan, Esq.

Registration No. 36,899

P.O. Box 1442


Corrales, New Mexico 87048-1442

Telephone (505) 897-7200

Facsimile (505) 897-7201

E-mail rayregan@rayregan.com

EXHIBIT C



Enclosed is the Reply to Office Action mailed by the Examiner on April 21, 2005. The Reply is mailed under Express Mail Label No. EV233997757US for Application Number 10/974,334, and includes a Petition for Extension of Time with a check for \$510.00 as the extension fee; and this post card to be processed by the Patent Office and returned to sender.

Attorney Docket No. 2215.004/J.

RAY R. REGAN
ATTORNEY AT LAW
TRUST ACCOUNT
P.O. BOX 1442 PH. 505-897-7200
CORRALES, NM 87048

1721

95-145/1070

DATE 10-19-05

PAY
TO THE
ORDER OF

USPTO

\$ 510.00

Five hundred Ten & no/100

DOLLARS



FOR

John M. Regan

⑈001721⑈+⑈107001452⑈035006277⑈



PO Box 3686, Albuquerque, NM 87190-3686 | PO Box 797, Taos, NM 87571-0797
 PO Box 5394, Santa Fe, NM 87502-5394 | P.O. Box 460039, Glendale, CO 80246-0039 | P.O. Box 65637, Salt Lake City, Utah 84165

FDIC

NOT YOUR TYPICAL BANKERS. NOT YOUR TYPICAL BANK. www.fsbnm.com

Equal Housing Lender

First State Bank and First Community Bank are divisions of First State Bank NM



RAY R REGAN
 ATTORNEY AT LAW/TRUST ACCOUNT
 PO BOX 1442
 CORRALES NM 87048

FIRST CHECKING PERSONAL
 5 10-31-05

Account # 35006277
 Page 1 Branch-532

BANKING IS EZ WITH EZBANKING - FOR NM: WWW.FSBNM.COM
 FOR COLO: WWW.FCBCOLO.COM FOR UTAH: WWW.FCBUTAH.COM

3500 627 7 MONTHLY SUMMARY

Beginning Balance	9-30-05	12,280.87
Deposits/Misc Credits	2	6,000.00
Withdrawals/Misc Debits	3	5,748.40
** Ending Balance		12,532.47 **
Service Charge		.00
Average Balance		12,719.21
Average Collected Balance		12,532.12
Minimum Balance		11,042
Days in Statement Period		31

* MISCELLANEOUS DEBITS AND CREDITS *			
Date	Tracer	Description	Amount
10-11		CUSTOMER DEP	4000.00
10-26		CUSTOMER DEP	2000.00

- CHECKS POSTED -			- CHECKS POSTED -		
Check No.	Date	Amount	Check No.	Date	Amount
1719	10-13	2748.40 ✓	1722	10-21	2490.00
1721	10-27	510.00			

* DAILY BALANCE SUMMARY *					
Date	Balance	Date	Balance	Date	Balance
9-30	12280.87	10-11	16280.87	10-13	13532.47
10-21	11042.47	10-26	13042.47	10-27	12532.47

1720 - 150

1723 - 300

1724 - 300

1725 225

1726 - 625

1727 987.50

2589.50

9944.97

5 Total Enclosures

PLEASE EXAMINE AND REPORT ANY DISCREPANCY. SEE REVERSE SIDE FOR ADDITIONAL INFORMATION.

[illegible]

EXHIBIT D



EV 233997757 US



UNITED STATES POSTAL SERVICE®

Customer Copy
Label 11-F June 2002

Post Office To Addressee

ORIGIN (POSTAL USE ONLY)				DELIVERY (POSTAL USE ONLY)			
PO ZIP Code 87048	Day of Delivery <input checked="" type="checkbox"/> Next <input type="checkbox"/> Second <input type="checkbox"/>		Flat Rate Envelope	Delivery Attempt	Time	Employee Signature	
Date In 10/19/05	<input checked="" type="checkbox"/> 12 Noon <input type="checkbox"/> 3 PM		Postage \$13.65	Mo. Day	<input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature	
Time In <input type="checkbox"/> AM <input type="checkbox"/> PM	Military <input type="checkbox"/> 2nd Day <input type="checkbox"/> 3rd Day		Return Receipt Fee	Delivery Attempt	Time	Employee Signature	
Weight 9.1 lbs. 0.1 ozs.	Int'l Alpha Country Code		COD Fee Insurance Fee	Mo. Day	<input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature	
No Delivery <input type="checkbox"/> Weekend <input type="checkbox"/> Holiday	Acceptance Clerk Initials [Signature]		Total Postage & Fees \$13.65	<input type="checkbox"/> WAIVER OF SIGNATURE (Domestic Only) Additional merchandise insurance is void if waiver of signature is requested. I wish delivery to be made without obtaining signature of addressee or addressee's agent (if delivery employee judges that article can be left in secure location) and I authorize that delivery employee's signature constitutes valid proof of delivery.			
CUSTOMER USE ONLY				NO DELIVERY <input type="checkbox"/> Weekend <input type="checkbox"/> Holiday			
METHOD OF PAYMENT: Express Mail Corporate Acct. No.				Federal Agency Acct. No. or Postal Service Acct. No.			
FROM: (PLEASE PRINT) Law Office of Ray R. Regan PA P O Box 1442 Corrales, NM 87048				TO: (PLEASE PRINT) MAIL STOP Amendment Commissioner for Patents P O Box 1450 Alexandria, VA 22313-1450			

PRESS HARD.
You are making 3 copies.

FOR PICKUP OR TRACKING CALL 1-800-222-1811 www.usps.com



BEST AVAILABLE COPY

EXHIBIT E

CTB ✓

Enclosed is the Reply to Office Action mailed by the Examiner on April 21, 2005. The Reply is mailed under Express Mail Label No. EV233997757US for Application Number 10/974,334, and includes a Petition for Extension of Time with a check for \$510.00 as the extension fee; and this post card to be processed by the Patent Office and returned to sender.

Attorney Docket No. 2215.004/J.




21 OCT 2005 PM 6 L

NO VA 220

EXHIBIT F



I hereby certify that this document pertaining to Application Number 10/074,334 is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. §1.10, Express Mail Label No. ED666641862US, on the date subscribed, in an envelope addressed to MAIL STOP Petitions, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450, on the 28th day of December, 2005.


Ray R. Regan, Attorney for Applicant, Registration No.36, 899

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Robert Aranda, Jr.
Filing Date: February 12, 2002
Sole Inventor: Robert Aranda, Jr.
For: AN INDEPENDENT AND INTEGRATED
CENTRALIZED HIGH SPEED SYSTEM
FOR DATA MANAGEMENT
Attorney Docket Number: 2215.004
Application Serial No: 10/074,334
Examiner: Chirag R. Patel
Group Art Unit: 2141

**REQUEST TO ACCEPT AMENDMENT AS TIMELY FILED
AND TO RESCIND ANY NOTICE OF ABANDONMENT**

To: MAIL STOP PETITION
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

Introductory Comments

In the above-identified application, the Examiner called Applicant's counsel on December 23, 2005 to report that the Examiner had not yet received the Reply to the Office Action that was mailed by the Examiner to Applicant on October 19, 2005.

Applicant expresses thanks to the Examiner for alerting Applicant to the situation.

Response of Applicant

A Reply to Office Action was timely filed with a certificate of mailing on October 19, 2005 in conformity with 37 CFR 1.8 and MPEP §512.

Proof of mailing is affirmed by the certificate of mailing shown on the first page of the Reply as filed. Enclosed is a true and correct copy of the Reply as filed.

Also enclosed are:

- A. a copy of the post card receipt date stamped by the Office and returned to our office;
- B. a copy of the Express Mail label. The label is difficult to read after photocopying, but the undersigned confirms that the date of mailing was October 19, 2005; and
- C. a copy of the Petition for Extension of Time under 37 CFR §1.136(a) that was filed with the Reply.

Please note a typographical error in the Serial Number on the filed documents: "10/974,334" should be "10/074,334."

Request

It is respectfully requested that the Reply be considered timely filed as shown above.

Fee Payments

The Commissioner is hereby authorized to charge any fees in connection with this paper, and to credit any overpayments, to Deposit Account Number 501565 for the Law Office of Ray R. Regan, P.A.

Respectfully submitted,

LAW OFFICE OF RAY R. REGAN, P.A.

Ray R. Regan

Registration No. 36,899
P.O. Box 1442
Corrales, New Mexico 87048
Telephone (505) 897-7200
Facsimile (866) 425-2597
E-mail rayregan@rayregan.com

EXHIBIT G



ED 666641862 US



UNITED STATES POSTAL SERVICE®

Customer Copy

Label 11-B, March 2004

Post Office To Addressee

ORIGIN (POSTAL SERVICE USE ONLY)

PO ZIP Code 87048	Day of Delivery <input checked="" type="checkbox"/> Next <input type="checkbox"/> 2nd <input type="checkbox"/> 2nd Del. Day	Postage \$13.65
Date Accepted 12-28-05 Mo. Day Year	Scheduled Date of Delivery 12-29 Month Day	Return Receipt Fee \$
Time Accepted 10:43 <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM	Scheduled Time of Delivery <input type="checkbox"/> Noon <input type="checkbox"/> 3 PM	COD Fee \$
Flat Rate <input type="checkbox"/> or Weight lbs. 9.5 ozs.	Military <input type="checkbox"/> 2nd Day <input type="checkbox"/> 3rd Day	Insurance Fee \$
	Int'l Alpha Country Code	Total Postage & Fees \$13.65
		Acceptance Emp. Initials OR

DELIVERY (POSTAL USE ONLY)

Delivery Attempt	Time	<input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature
Mo. Day			
Delivery Attempt	Time	<input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature
Mo. Day			
Delivery Date	Time	<input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature
Mo. Day			

CUSTOMER USE ONLY

PAYMENT BY ACCOUNT

Express Mail Corporate Acct. No.

Federal Agency Acct. No. or
Postal Service Acct. No.

☐ **WAIVER OF SIGNATURE (Domestic Mail Only)**
Additional merchandise insurance is void if
customer requests waiver of signature.
I wish delivery to be made without obtaining signature
of addressee or addressee's agent (if delivery employee
judges that article can be left in secure location) and I
authorize that delivery employee's signature constitutes
valid proof of delivery.

NO DELIVERY

☐ Weekend ☐ Holiday

Mailer Signature

FROM: (PLEASE PRINT)

PHONE ()

Law Office of Ray R. Regan PA
P O Box 1442
Corrales, New Mexico 87048

TO: (PLEASE PRINT)

PHONE ()

MAIL STOP PETITION
Commissioner for Patents
P O Box 1450
Alexandria VA 22313-1450

FOR PICKUP OR TRACKING

Visit www.usps.com

Call 1-800-222-1811



ZIP + 4 (U.S. ADDRESSES ONLY. DO NOT USE FOR FOREIGN POSTAL CODES.)

--	--	--	--	--	--	--	--	--	--

FOR INTERNATIONAL DESTINATIONS, WRITE COUNTRY NAME BELOW.

--	--	--	--	--	--	--	--	--	--

BEST AVAILABLE COPY

EXHIBIT H

013

Enclosed is a REQUEST TO ACCEPT AMENDMENT AS TIMELY
FILED AND TO RESCIND ANY NOTICE OF ABANDONMENT
mailed under Express Mail Label No. ED666641862 for Application
Number 10/074,334, and includes: a copy of the Reply to Office
Action mailed by Applicant on October 19, 2005; a copy of the
Petition for Extension of Time mailed by Applicant on October 19,
2005; a copy of the Express Mail label associated with the Reply; a
copy of the post card receipt from the USPTO; and this post card to be
processed by the Patent Office and returned to sender for Attorney
Docket No. 2215.004/J

